

SAFETY DATA SHEET

HIGH CALCIUM LIMESTONE

GRAYMONT

Section 1. Identification

Product name	: HIGH CALCIUM LIMESTONE		
Product code	: Not available.		
Other means of identification	 Limestone, Calcium Carbonate, Calcite, Aragonite, Flux stone, Fine Ground Limestone, Rock Dust. 		
Product type	: Solid.		
Relevant identified use	s of the substance or mixture and uses advised against		
Identified uses			
Neutralisation, desulphu	Neutralisation, desulphurisation, flux, aggregates, mineral filler, liming, lime, feed ingredient.		

Supplier/Manufacturer	: Graymont NZ Hamilton Regional Office 214 Collingwood Street Level 4 Hamilton 3204 New Zealand Phone (07) 839 3210 Toll Free 0800 245 463 Web Site: www.graymont.com
Emergency telephone number (with hours of operation)	: National Poison Center: (0800) 764 766 Graymont: 07 839 3210

Section 2. Hazards identification

HSNO Classification

: Not classified.

This material is not classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2012 Transport of Dangerous Goods on Land.

GHS label elements		
Signal word	:	No signal word.
Hazard statements	÷	No known significant effects or critical hazards.
Precautionary statements		
Prevention	÷	Not applicable.
Response	÷	Not applicable.
Storage	÷	Store to minimise dust generation.
Disposal	÷	Not applicable.
Other hazards which do not result in classification	:	None known.





Section 3. Composition/information on ingredients

Substance/mixture	: Substance		
Other means of identification	: Limestone, (Limestone, I	Calcium Carbonate, Calcite, Aragonite, Flux Rock Dust.	stone, Fine Ground
CAS number/other ident	ifiers		
CAS number	: Not available	е.	
EC number	: Not available	e.	
Ingredient name		% (w/w)	CAS number
Limestone		80 - 100	1317-65-3

Crystalline silica has been found in some products at or above detection level 0.1%. Concentration is dependent upon limestone source. However, using the sedimentation method set out in the draft European Standard followed by XRD analysis, all products were shown to have respirable crystalline silica content of <0.1%.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary firs	t a	id measures
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Skin contact	:	Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Most important symptoms/ef	fec	ts, acute and delayed
Potential acute health effect	<u>s</u>	
Inhalation	:	May cause respiratory irritation.
Ingestion	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Eye contact	:	No known significant effects or critical hazards.
Over-exposure signs/sympt	om	<u>IS</u>
Inhalation	:	Adverse symptoms may include the following: respiratory tract irritation coughing
Ingestion	:	No known significant effects or critical hazards.
Skin	:	No known significant effects or critical hazards.
Eyes	:	No known significant effects or critical hazards.
Indication of immediate medi	ca	attention and special treatment needed, if necessary
Specific treatments	1	Not available.
Notes to physician	:	No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.



Section 4. First aid measures

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media		
Suitable	1	Use an extinguishing agent suitable for the surrounding fire.
Not suitable	1	None known.
Specific hazards arising from the chemical	1	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide metal oxide/oxides At 900°C calcium carbonate decomposes and gives off carbon dioxide and fumes of calcium oxide.
Hazchem code	1	Not available.
Special precautions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	:	No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways or air).
Methods and material for cor	<u>nta</u>	inment and cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe
 handling
 Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.



Section 7. Handling and storage

incompatibilities from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store to minimise dust generation. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
--

Section 8. Exposure controls/personal protection

Control parameters

Occu	pational	exposure	limits
	Patienta	0/10/04/0	

Ingredient name			Exposure limits
Limestone			NZ HSWA 2015 (New Zealand, 8/2018). TWA: 10 mg/m ³ 8 hours. Form: inhalable dust NZ HSWA 2015 (New Zealand, 11/2019). WES-TWA: 10 mg/m ³ 8 hours.
Appropriate engineering controls	:	control worker exposure to airborne congredients with exposure limits, use p	Good general ventilation should be sufficient to ontaminants. If this product contains process enclosures, local exhaust ventilation or rker exposure below any recommended or
Environmental exposure controls	:		
Individual protection measu	<u>ires</u>		
Hygiene measures	:	eating, smoking and using the lavator Appropriate techniques should be use	bughly after handling chemical products, before y and at the end of the working period. In the remove potentially contaminated clothing. Busing. Ensure that eyewash stations and tation location.
Respiratory protection	:	be based on known or anticipated exp	s this is necessary. Respirator selection must posure levels, the hazards of the product and respirator. Wear an appropriate NIOSH
Hand protection	:		complying with an approved standard should emical products if a risk assessment indicates
Eye protection	:	assessment indicates this is necessar gases or dusts. If contact is possible,	proved standard should be used when a risk by to avoid exposure to liquid splashes, mists, the following protection should be worn, gher degree of protection: safety glasses with
Skin protection	:		body should be selected based on the task d and should be approved by a specialist

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>	
Physical state	: Solid. [Solid or powder.]
Colour	: White to grey.
Odour	: Odourless.
Odour threshold	: Not available.
рН	∶ 8 to 9.2 at 25°C
Melting point/freezing point	: Not applicable.
Boiling point, initial boiling point, and boiling range	: Not applicable.
Flash point	: Closed cup: Not applicable.
Evaporation rate	: Not applicable.
Flammability	: Not available.
Lower and upper explosion limit/flammability limit	: Not applicable.
Vapour pressure	: Not applicable.
Relative vapour density	: Not applicable.
Relative density	: 2.68 to 2.76
Density	: 2.68 to 2.76 g/cm ³
Solubility in water	: 0.00066g/100g at 20°C
Partition coefficient: n- octanol/water	: Not applicable.
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: 900°C (1652°F) for 760 mm pressure.
Viscosity	: Not applicable.
Flow time (ISO 2431)	: Not available.
Particle characteristics	
Median particle size	: Not available.
Castion 10 Stabili	n and reactivity

Section 10. Stability and reactivity

Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Do not allow limestone to come into contact with incompatible materials.
Incompatible materials	: Reactive or incompatible with the following materials: oxidising materials and strong acids.
Hazardous decomposition products	 Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on likely routes	of	⇒xposure
Inhalation	:	May cause respiratory irritation.
Ingestion	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Eye contact	:	No known significant effects or critical hazards.
Symptoms related to the ph	ysio	cal, chemical and toxicological characteristics
Inhalation	:	Adverse symptoms may include the following: respiratory tract irritation coughing
Ingestion	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Eye contact	:	No known significant effects or critical hazards.
Delayed and immediate effe	<u>cts</u>	as well as chronic effects from short and long-term exposure
Acute toxicity		
There is no data available.		
Irritation/Corrosion		
There is no data available.		
Sensitisation		
There is no data available.		
Potential chronic health ef	fect	<u>s</u>
General	:	Causes damage to organs through prolonged or repeated exposure.
Inhalation	:	Repeated exposure may cause severe mucous membrane irritation, bronchitis and

Potential chronic health ef	fects
General	: Causes damage to organs through prolonged or repeated exposure.
Inhalation	: Repeated exposure may cause severe mucous membrane irritation, bronchitis and pneumonia.
Ingestion	: Repeated exposure may cause severe mucous membrane irritation, bronchitis and pneumonia.
Skin contact	: Prolonged exposure may cause irritant dermatitis.
Eye contact	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Chronic toxicity	

There is no data available.

Carcinogenicity

There is no data available.

Mutagenicity

There is no data available.

<u>Teratogenicity</u> There is no data available.

Reproductive toxicity

Section 11. Toxicological information

There is no data available.

Specific target organ toxicity

There is no data available.

Aspiration hazard

There is no data available.

Numerical measures of toxicity

Acute toxicity estimates

There is no data available.

Section 12. Ecological information

Ecotoxicity	: No known significant effects or critical hazards.

Aquatic and terrestrial toxicity

There is no data available.

Persistence/degradability

There is no data available.

Bioaccumulative potential

There is no data available.

Mobility in soil

mounty mount	
Soil/water partition coefficient (Koc)	: Not available.
Other adverse effects	: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain
	some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	New Zealand	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
		-7769 (447-7769) / +1-450-GHS-7767	(447-7767) 7/0





Section 14. Transport information

Packing group	-	-	-
Environmental hazards	No.	No.	No.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

Section 15. Regulatory information

HSNO Approval Number : Limestone: May be used as a single component chemical under an appropriate group standard

HSNO Group Standard : Not available.

HSNO Classification : Not classified.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

New Zealand

: All components are listed or exempted.

Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	: 15/10/2021
Date of previous issue	: 15/06/2020
Version	: 5
Prepared by	: KMK Regulatory Services Inc.





HIGH CALCIUM LIMESTONE

Section 16. Other information

Key to abbreviations	: ADG = Australian Dangerous Goods
-	ADR = The European Agreement concerning the International Carriage of
	Dangerous Goods by Road
	ATE = Acute Toxicity Estimate
	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships,
	1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
	RID = The Regulations concerning the International Carriage of Dangerous Goods
	by Rail
	SGG = Segregation Group
	UN = United Nations
Notico to roador	

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

